



In the Claims:


1. (previously presented) A dye mixture comprising at least one dye of the formula (1')



and at least one dye of the formula (2')




2. (previously presented) A dye mixture according to Claim 1, wherein said dye mixture comprises up to 60% by weight of the dye of formula (1') based on the sum total weight of the dyes (1') and (2').
3. (currently amended) A dye mixture according to Claim 1, wherein said mixture further comprises at least one of the following dyes:




wherein

R₁₃ is C₁-C₄-alkyl, R₁₄ is C₁-C₄-alkyl and Halogen is a halogen,




wherein the rings A and B may be further substituted,




wherein

R₁₅ is C₁-C₄-alkyl and the rings C and D may be further substituted,






wherein

R₁₆ is unsubstituted or hydroxyl- or cyano-substituted C₁-C₄-alkyl, R₁₇ is unsubstituted C₁-C₄-alkyl or C₁-C₄-alkyl which is substituted by the radical -O-COR₁₈, where R₁₈ is C₁-C₄-alkyl, R₃₂ is nitro, C₁-C₄-alkoxy or the radical -SO₂CH₃ and R₃₃ is hydrogen or C₁-C₄-alkyl,




wherein

R_{19} is C_1 - C_4 -alkyl, R_{20} is C_1 - C_4 -alkyl, R_{21} is C_1 - C_4 -alkyl and R_{22} is C_1 - C_4 -alkyl or the radical $-NHCOR_{23}$, where R_{23} is C_1 - C_4 -alkyl,




wherein R_{24} is halogen,



wherein

R_{25} is cyano, nitro or halogen, R_{26} is halogen, R_{27} is unsubstituted or hydroxyl-substituted C_1 - C_4 -alkyl and R_{28} is unsubstituted or hydroxyl-substituted C_1 - C_4 -alkyl and the naphthyl ring E may be further substituted,

and/or



wherein

R_{29} is C_1 - C_4 -alkyl or the radical $NHCO R_{17}$, where R_{17} is C_1 - C_4 -alkyl, R_{30} is C_1 - C_4 -alkyl or C_1 - C_4 -alkylcarbonyloxy- C_1 - C_4 -alkyl and R_{31} is C_1 - C_4 -alkyl or C_1 - C_4 -alkylcarbonyloxy- C_1 - C_4 -alkyl.

4. (cancelled)

5. (previously presented) A method for dyeing or printing a semisynthetic or synthetic hydrophobic fibre material comprising cellulose acetate, comprising the step of contacting a dye mixture according to Claim 1 with the semisynthetic or synthetic hydrophobic fibre material comprising cellulose acetate.

6. (previously presented) A method for dyeing or printing a fibrous structure comprising polyester and/or cellulose secondary acetate, comprising the step of contacting a dye mixture according to Claim 1 with the fibrous structure comprising polyester and/or cellulose secondary acetate.

7. (previously presented) A fibrous structure dyed or printed with a dye mixture according to Claim 1.

8. (previously presented) A semisynthetic or synthetic hydrophobic fibre material dyed or printed with a dye mixture according to Claim 1.